J

1 **)** 2

3

4

5

6

1

2

1

2

1 2

What is claimed is:

CLAIMS:

1. A method of redirecting a call from a data processing system to another address, comprising the steps of:

receiving at a data processing system a registration notice of an incoming call from a server; and

responsive to determination of a new address; transmitting a new address to which the incoming call is to be redirected.

- 2. The method as recited in claim 1, wherein said data processing system is a personal digital assistant.
- 3. The method as recited in claim 1, wherein said data processing system is a laptop computer.
- 4. The method as recited in claim 1, wherein said data processing system is a portable computing device.
- 5. The method as recited in claim 1, wherein said data processing system is a wireless device.
- 6. The method as recited in claim 1, wherein the registration notice is a session initiation protocol registration notice.
- 7. The method as recited in claim 1, wherein the incoming call comprises video and the new address corresponds to a video display terminal.

1 8. The method as recited in claim 1, wherein said data processing system is a

2 wire-line connected device.

= 3

- 1 9. A computer program product in computer readable media for use in a data
- 2 processing system for redirecting a call from a data processing system to another
- address, the computer program product comprising:
- 4 first instructions for receiving at a data processing system a registration notice
- of an incoming call from a server; and
- second instructions, responsive to determination of a new address; for
- 7 transmitting a new address to which the incoming call is to be redirected.
- 1 10. The computer program product as recited in claim 9, wherein said data
- 2 processing system is a pers ϕ nal digital assistant.
- 1 11. The computer program product as recited in claim 9, wherein said data
- 2 processing system is a laptop computer.
- 1 12. The computer program product as recited in claim 9, wherein said data
- 2 processing system is a portable computing device.
- 1 13. The computer program product as recited in claim 9, wherein said data
- 2 processing system is a wireless device.
- 1 14. The computer program product as recited in claim 9, wherein the registration
- 2 notice is a session initiation protocol registration notice.
- 1 15. The computer program product as recited in claim 9, wherein the incoming
- 2 call comprises/video and the new address corresponds to a video display terminal.
- 1 16. The computer program product as recited in claim 9, wherein said data
- 2 processing system is a wire-line connected device.



A system of redirecting a call from a data processing system to another address, comprising:

means for receiving at a data processing system a registration notice of an

- 4 incoming call from a server; and
- means, responsive to determination of a new address; for transmitting a new address to which the incoming call is to be redirected.
- 1 18. The system as recited in claim 17, wherein said data processing system is a
- 2 personal digital assistant.
- 1 19. The system as recited in claim 17, wherein said data processing system is a
- 2 laptop computer.
- 1 20. The system as recited in claim 17, wherein said data processing system is a
- 2 portable computing device.
- 1 21. The system as recited in claim 17, wherein said data processing system is a
- 2 wireless device.
- 1 22. The system as recited in claim 17, wherein the registration notice is a session
- 2 initiation protocol registration notice.
- 1 23. The system as recited in claim 17, wherein the incoming call comprises video
- 2 and the new address corresponds to a video display terminal.
- 1 24. The system as recited in claim 17, wherein said data processing system is a
- 2 wire-line connected device.

 $\begin{array}{c}
1 \\
2 \\
7 \\
7
\end{array}$ 3

5

25. A method for redirecting calls to a data processing system to a second location; comprising the steps of:

sending a registration notification to a called party's preferred location; and responsive to receipt of a new address from the called party, redirecting the incoming call to the new address.

- 1 26. The method as recited in claim 25, further comprising:
- 2 prior to said sending step, receiving a request to initiate a call with a called
- 3 party; and
- 4 determining a preferred location of the called party.
- 1 27. The method as recited in claim 25, wherein the registration notification is a
- 2 session initiation protocol registration.
- 1 28. The method as recited in claim 25, wherein the preferred location is a personal
- 2 digital assistant.
- 1 29. The method as recited in claim 28, wherein the personal digital assistant is a
- 2 Palm VII utilizing a Palm Query Application to provide a user interface.
- 1 30. The method as recited in claim 25, wherein the new address corresponds to a
- 2 voice mailbox.
- 1 31. The method as recited in claim 25, wherein the new address corresponds to
- 2 placing the incoming call on hold.
- 1 32. The method as recited in claim 25, wherein communication with the preferred
- 2 device is provided utilizing a wireless application protocol.

Docket No. 11032RR

1 33. The method as recited in claim 25, wherein the new address corresponds to a

2 wire-line device.

1

1 34. A compu	ter program product	in computer	readable media	for use in a data
---------------	---------------------	-------------	----------------	-------------------

- 2 processing system for redirecting calls to a data/processing system to a second
- 3 location; the computer program product comprising:
- first instructions for sending a registration notification to a called party's
- 5 preferred location; and
- second instructions, responsive to receipt of a new address from the called
- 7 party, for redirecting the incoming call to the new address.
- 1 35. The computer program product as recited in claim 34, further comprising:
- prior to said sending step, the instructions for receiving a request to initiate a
- 3 call with a called party; and
- 4 fourth instructions for determining a preferred location of the called party.
- 1 36. The computer program product as recited in claim 34, wherein the registration
- 2 notification is a session initiation protocol registration.
- 1 37. The computer program product as recited in claim 34, wherein the preferred
- 2 location is a personal digital assistant.
- 1 38. The computer program product as recited in claim 37, wherein the personal
- 2 digital assistant is a Palm VII utilizing a Palm Query Application to provide a user
- 3 interface.
- 1 39. The computer program product as recited in claim 34, wherein the new
- 2 address corresponds to a voice mailbox.
- 1 40. The computer program product as recited in claim 34, wherein the new
- 2 address corresponds to placing the incoming call on hold.

Docket No. 11032RR


1 41. The computer program product/as recited in claim 34, wherein

2 communication with the preferred device is provided utilizing a wireless application

3 protocol.

1 42. The computer program product as recited in claim 34, wherein the new

2 address corresponds to a wire-line device.





43. A system for redirecting calls to a data processing system to a second location; comprising:

means for sending a registration notification to a called party's preferred location; and

- means, responsive to receipt of a new address from the called party, for redirecting the incoming call to the new address.
- 1 44. The system as recited in claim 43, further comprising:
- 2 prior to said sending step, means for receiving a request to initiate a call with a
- 3 called party; and

- 4 means for determining a preferred location of the called party.
- 1 45. The system as recited in claim 43, wherein the registration notification is a
- 2 session initiation protocol registration.
- 1 46. The system as recited in claim 43, wherein the preferred location is a personal
- 2 digital assistant.
- 1 47. The system as recited in claim 46, wherein the personal digital assistant is a
- 2 Palm VII utilizing a Palm Query Application to provide a user interface.
- 1 48. The system as recited in claim 43, wherein the new address corresponds to a
- 2 voice mailbox.
- 1 49. The system as recited in claim 43, wherein the new address corresponds to
- 2 placing the incoming call on hold.
- 1 50. The system as recited in claim 43, wherein communication with the preferred
- 2 device is provided utilizing a wireless application protocol.

Express Mail No.: EL356872801US

- 1 51. The system as recited in claim 43, wherein the new address corresponds to a
- 2 wire-line device.

55.

session initiation protocol messages.

1

2

Docket No. 11032RR

1	52.	A method in a communications system for processing a call, the method
2	compr	ising:
3		receiving at a mobile data processing system a call for a user;
4		sending a first request to setup the call to the mobile data processing system
5	associa	ated with a user, wherein the mobile data processing system has a wireless
6	comm	unications capability;
7		receiving a response to the request, wherein the response includes an address
8	for the	call; and
9		sending a second request to setup the call to the user using the address.
1	53.	The method as recited in claim 52, wherein the data processing system is a
2	person	al digital assistant.
1	54.	The method as recited in claim 52, wherein the personal digital assistant is a
2	Palm V	VII.

The method/as recited in claim 52, wherein the request and the response are

responsive to an identification of an address for the call, returning a response

Docket No. 11032RR

1	56.	A method for processing a call at a data processing system the method
2	compr	ising:
3		receiving a request to establish a call;
4		presenting caller information at the data processing system; and

6 including the address.

5

- The method as recited in claim 56, wherein the step of presenting caller information comprises displaying the caller information.
- 1 58. The method as recited in claim 56, wherein the step of presenting caller
- 2 information comprises presenting the caller information audibly.
- 1 59. The method as recited in claim 56, wherein the request and the response are
- 2 session initiatiφn protocol messages.
- 1 60. The method as recited in claim 56, wherein the data processing system is a
- 2 wireless device.
- 1 61. The method as recited in claim 56, wherein the step of presenting caller
- 2 information comprises a vibrating alert.
- 1 62. The method as recited in claim 56, wherein the data processing system is a
- 2 two-way pager.

5

10





36

Express Mail No.: EL356872801US

Docket No. 11032RR

63. A communications network for redirecting communications; comprising:
a proxy server for performing address lookup and directing calls;
a user agent functionally connected to the aid proxy server to provide protocol translation between a protocol recognized by the proxy server and a protocol recognized by a terminal unit and to provide a communication link between the proxy server and the terminal unit; wherein

the proxy server, responsive to an indication from the terminal unit to redirect a call, redirects calls to a new location.

- 64. The network as recited in claim 63, wherein the proxy server is a session initiation protocol proxy server and the user agent is a session initiation protocol user agent for translating between session initiation protocol and a second protocol.
- 65. The network as recited in claim 64, wherein the second protocol is HTML.

5

10

15

66. A method for initiating calls, comprising the steps of:

receiving registration notice of an incoming call, wherein said registration notice is formatted in a first protocol.

translating said registration notice from the first protocol into a second protocol; and

transmitting a modified registration notice to a terminating device; wherein the modified registration notice is formatted in the second protocol.

- 67. The method as recited in claim 66, further comprising:
 receiving a location data with which to redirect the incoming call from the
 terminating device; wherein the location data is formatted in the second protocol; and
 translating the location data to a second location data; and
 transmitting the second location data, wherein the second location data is
 formatted in the second protocol.
- 68. The method as recited in claim 66, wherein the first protocol is a session initiation protocol.
- 69. The method as recited in claim 66, wherein the second protocol is a hypertext markup language.